#### NATIONAL UNIVERSITY OF MODERN LANGUAGES SECTOR H-9, ISLAMABAD

#### **RE- TENDER NOTICE**

Proposals as per PPRA (rule 36 B) are invited from well reputed and GST registered firms for Establishment of TV Studio at Main Campus, Islamabad as a Turnkey basis.

The tender documents, wherein terms & conditions and other details are given, can be obtained from office of the undersigned OR can be downloaded from NUML's website (www.numl.edu.pk) against payment of non-refundable fee of Rs. 2,500/- in shape of Bank Draft/Pay Order. Bank draft/Pay Order must be provided at the time of bid submission and bid will not be accepted without non-refundable fee. 5% earnest money of the project will be provided in the shape of separate Bank draft/CDR. The proposals (Technical & Financial in separate envelopes) must reach "Administration Branch" Jinnah Block in sealed envelope at 1100 hrs on 13th Dec 2022 which will be opened on the same day at 1130 hrs in presence of the available bidders.

The University reserves the right to reject all the bids or proposals at any time prior to the acceptance of a bid or proposal.

Director IT Tele: 9265100 Ext: 2234 NUML/ICT/TV STUDIO/TD-01/Equipment/12-2022

# Tender Document For Establishment of TV Studio at NUML

Date of Issuance: 21<sup>st</sup> Nov, 2022 Date of Submission: 13<sup>th</sup> Dec, 2022



Email: <a href="mailto:tvnuml@numl.edu.pk">tvnuml@numl.edu.pk</a>
Web: <a href="mailto:www.numl.edu.pk">www.numl.edu.pk</a>

Tel. No.: 051-9265100-109 Ext. 2230, 2233-34

# NATIONAL UNIVERSITY OF MODERN LANGUAGES

Sector H-9, Islamabad





# Table of Contents

INVIT	ATION TO BID	3
	Establishment of TV Studio at NUML]	
1.0	SCOPE OF WORK	
2.0	GUIDELINES FOR THE PROJECT	
3.0	BIDS SUBMISSION REQUIREMENTS	
4.0	SELECTION PROCEDURE	6
5.0	GENERAL TERMS & CONDITIONS	6
6.0	HARDWARE AND SERVICE REQUIREMENTS	7
7.0	WARRANTY	
8.0	MEET OR EXCEED SPECIFICATIONS	8
9.0	CLARIFICATION AND AMENDMENT IN TENDER DOCUMENT	8
10.0	Annexure-A Technical Proposal shall be part of Technical Proposal	9
11.0	Annexure-B Financial Proposal shall be part of Financial Proposal (Price of each Module sho	uld be
provid	led)	14
12.0	Annexure - C: Firm's References	19
13.0	Annexure - D: Technical Evaluation Criteria	20
14.0	Annexure - E: Specimen for Affidavit	21
15.0	Annexure - F: Proposal Submission Form	22





#### **INVITATION TO BID**

## [For the Establishment of TV Studio at NUML]

NATIONAL UNIVERSITY OF MODERN LANGUAGES (NUML) is the leading linguistic public sector university is focused on reforming the Information & Communication Technology by deploying various ICT facilities. Information Communicational Technological Infrastructure have already been established in University.

- 2. Bidding documents, containing detailed terms and conditions, etc. are available at office of Director-IT, Salam Block and on university website (www.numl.edu.pk). Price of the bidding documents is Rs. 2500/-
- 3. The bids, prepared in accordance with the instructions in the bidding documents, must reach at office of the *Director Administration, Jinnah Block*, on 13<sup>th</sup> Dec, 2022 at 1100Hrs. Bids will be opened on the same day at 1130Hrs. This advertisement is also available on PPRA website at <a href="https://www.ppra.org.pk">www.ppra.org.pk</a> and NUML Website, <a href="https://www.numl.edu.pk">www.numl.edu.pk</a>.

Mohammad Raza Parwez
Director IT, NUML
SectorH-9, Islamabad
Ph: +92 (51) 9265087
Email: dir-it@numl.edu.pk





#### 1.0 SCOPE OF WORK

Objective of this consolidated bidding document is to establish a TV Studio at NUML as a Turnkey Project.

#### 2.0 GUIDELINES FOR THE PROJECT

Bidder's bid furnishes all requirements for a TV Studio alongwith the detail of the equipments to establish a TV Studio at NUML. The minimum specification with BOQ is given in the technical proposal of this tender document at **Annexure "A"**.

#### 3.0 BIDS SUBMISSION REQUIREMENTS

The objective of bid submission requirement is to provide bidders with the information to submit their bid in response of this Tender in order/sequence as set forth in this document. Bidders must follow following requirements for their proposals/bids.

Bidders must conform the following standards in the preparation and submission of the bid.

- 3.1 PPRA rule 36 (b) shall be adopted:
  Single Stage Two Envelope bidding procedure: -
- 3.2 PPRA rule 36 (b) least cost method shall be adopted i.e. technically qualified but financially lowest.
- 3.3 The Vendor is required to submit Technical Bid and Financial Bid in separate envelopes.
- 3.4 Bids will include the prices quoted for each equipment as at Annexure -B in Pak Rupees.
- 3.5 The quoted prices must include all taxes, customs and freight charges for delivery and installation of equipment at the required location as mentioned in Annexure-A at their own risk and cost.
- 3.6 The Bidder shall furnish earnest money equal to 5% of the total value of Bid in the form of Bank Draft/Pay Order issued by a scheduled bank of Pakistan in favour of "Rector, National University of Modern Languages", valid for at least six month (06 month). No Bid shall be entertained without earnest money. Earnest money of the successful bidder will be released on completion of the project.
- 3.7 The Ten percent (10%) of total contract value shall be retained as a Security, which will be released after satisfactory completion of warranty period (i.e. one year)
- 3.8 Proposals sent to NUML by fax or email shall not be accepted.
- 3.9 Bidders should provide complete technical details with original printed brochure both for the equipment and services required under this Tender Document.
- 3.10 Bidders are required to submit their proposals conforming to the specifications and terms & conditions provided in this Tender Document.
- 3.11 Failure to abide by any instructions of this Tender Document may, at the NUML's sole discretion, result in rejection of the Bidder's Proposal and disqualification.
- 3.12 NUML has no obligation to locate or acknowledge any information in the Vendor's Proposal that is not presented under the appropriate outline according to these instructions and at the proper location.



- Bidder's Proposal/Bid/Offer must be received, in writing, at National University of Modern Languages, Sector H-9 Islamabad in the office of **Director Administration**, **Jinnah Block**, **1st Floor**, **Room # 38**, by the date and time specified herein. NUML will not be responsible for any delays in delivery or expenses for the development or delivery of proposals. Any Proposal/Bid/Offer received after Proposal/Bid/Offer submission date and time shall be rejected.
- 3.14 Bidder must provide electronic copy of the submitted bid along with all supporting documents after relevant bid opening if asked.
- 3.15 Bidder must fully respond to each requirement within the Technical specifications by fully describing the manner and degree by which the Bid meets or exceeds said requirement(s).
- 3.16 It is responsibility of the Bidder to clearly identify all costs associated with any item or series of items in this Tender Document. The Bidder must include and complete all parts of the cost Proposal in a clear and accurate manner. Omissions, errors, misrepresentations, or inadequate details in the Bidder's cost proposal will may be considered as valid ground for rejection of the Bidder's proposal. Costs that are not clearly identified will be borne by the Bidder. The Bidder must complete the respective "Cost Information Submission Form" Annexure-B in this Tender Document, which outlines the minimum requirements for providing cost information. The Bidder should supply supporting details as described in Annexure B, the Cost Information Submission Form.
- 3.17 Prices quoted in the bid shall be valid for 90 days. After the contract, firm shall not have the right to change the price. All prices must be quoted in Pak Rupees, and must clearly state all applicable taxes which must be included in quoted price.
- 3.18 All the equipment will be supplied and installed by the firm within 60 days from the date of supply order. In case of failure to deliver in the specific time period (i.e. 60 days), a penalty @ 0.10% of the contract amount will be imposed on daily basis for the total number of days delayed. However, the penalty should not exceed 10% of the contract amount.
- 3.19 Bidders are required to fill and sign page(s) of the Annexure-A & Annexure-B while following the format given. Financial Proposals not following the given format may lead to the rejection of bid. Soft copy can be provided if required.
- 3.20 The University reserves the right to increase or decrease the quantity of the equipment/items while placing the order.
- 3.21 By applying in this tender, the bidder acknowledges that the quoted items, its software or hardware modules, database, definitions or support are not provided, manufactured, grown, produced, shipped from, or otherwise originate from any of the following countries; *India or Israel*.
- 3.22 Pre-conditions set by the contractor/bidder in addition to the abovementioned terms & conditions will not be accepted, and will lead to the rejection of the bid.





# SELECTION PROCEDURE

- 4.1 NUML's intent in issuing this Tender Document to award a contract to the lowest evaluated bid and best responsive Bidder who meets required standard of specifications and other factors including the mandatory requirements as indicated in the document.
- 4.2 The firm shall have to obtain 40 marks out of 80 to qualify for inclusion in the next stage for opening financial bids. Financial bids of the firms, obtaining less than 40 marks shall not be opened.
- 4.3 The firm shell be considered disqualified and financial bid will not be opened if in case of non-compliance of technical specification of the RFP, evaluated by Technical Committee based on the information provided by the firm in the attached Annex 'A'.

#### 5.0 GENERAL TERMS AND CONDITIONS

The following General Terms and Conditions apply to this Tender Document

- 5.1 Last date of submission of Bids is 13<sup>th</sup> Dec, 2022 at 1100 hours and the proposals will be opened on the same day at 1130 hours.
- 5.2 Bidder provide the proposed Drawing & Design Architecture (High Level & Low Level diagrams) along with Asset Tagging.
- 5.3 The bidder should be registered with Sales Tax and Income Tax Department.
- 5.4 Bidders are required to submit the detailed Project Execution Plan / Work Breakdown Structure of the project in any software like MS Project etc.
- 5.5 The Bidder should provide a detailed Project Implementation Plan as part of the Technical Proposal. This will be the basis for ensuring that the Project Implementation is regulated under defined timelines.
- 5.6 All Equipment and Services of the Proposed Solution will be awarded to a single bidder / vendor on Turnkey basis who meets all mentioned Specifications in the technical proposal Annexure "A"
- 5.7 List of technical staff members associated with the firm must also be the part of technical proposal for instance:
  - 5.7.1 Broadcast Engineer
  - 5.7.2 Broadcast Technician
  - 5.7.3 Power Distribution Technician

And any other relevant technical post pertaining to the project

- 5.8 The bidder must provide last Two (02) years experienced records / documents e.g. work orders/project completion certificate in the same field.
- 5.9 An affidavit to the effect that the firm is not blacklisted by any Government/Semi Government Organization (Specimen of Affidavit Annexure-E).
- 5.10 The Rector NUML reserves the right to accept/reject all bids.
- 5.11 On request by the bidders, NUML shall intimate the reasons of rejection of bids but will incur no liability on this account nor is required to justify the rejection of bids.
- 5.12 An effort by a Bidder to influence NUML, directly or indirectly THROUGH UNFAIR MEANS in NUML's proposal evaluation, proposal comparison or contract award decision, to meet or discuss with any NUML official unless desired by the NUML may result in rejection of the Bidder's Proposal and blacklisting for any future tender of NUML.
- 5.13 All responses to this Tender Document shall become the property of NUML.
- 5.14 NUML will not bear any expense incurred in preparation of the proposals in response to this Tender Document.



- 5.15 NUML will not allow any compensation to the Selected Bidder for any variations in the rate of exchange of rupee against dollar or any other currency. No additional claim arising out of change in legislation, exchange rate variation or any sort of taxes will be entertained.
- 5.16 Supply, Installation, configuration, testing and commissioning of all the mentioned equipment will be responsibility of the firm. Vendor must install all equipment and components and must ensure that the equipment is integrated/operational and function properly at all variables.
- 5.17 Bids are liable to be rejected if they are not conforming to the terms, conditions and specifications stipulated in this Tender document.
- 5.18 During the examination, evaluation and comparison of the bids, the NUML at its sole discretion may ask the bidder for clarifications of their bids.
- 5.19 The amount submitted as Earnest Money shall be refunded to the unsuccessful bidders after decision of the "Tender Committee" for the award of said tender.
- 5.20 If there is a discrepancy between unit price and total price in the submitted bid which is obtained by multiplying the unit price and quantity, the unit price shall prevail and total price shall be corrected. If there is a discrepancy between the words and figures, the amount in words shall prevail. If there is a mistake in addition/ totaling, that shall be corrected.
- 5.21 The bid security is required to compensate NUML against the consequences of:
  - 5.21.1 Subsequent unauthorized variations and/or modifications of the terms of bid.
  - 5.21.2 If the bidder does not accept correction of his bid prices which is in the interest of Commission.
  - 5.21.3 Occurrence of any of such events as solely judged by NUML, will entitle NUML to forfeit the bid security.
- 5.22 Incomplete and conditional bids will not be entertained.
- 5.23 For this tender, all updates/changes shall be communicated through email.
- 5.24 In case of any dispute between the two parties of any matter arising out of after signing the contract agreement, the case shall be referred to Rector, NUML whose decision shall be final and binding on both parties.
- 5.25 NUML or its representative shall have the right to inspect and/or to test the equipment to confirm their conformity to the contract specifications. The Technical Specifications shall specify what inspections and tests NUML requires and where they are to be conducted. NUML shall notify the contractor, in writing, of the identity of any representatives entrusted for this purpose.
- 5.26 Only transactions, amendments, changes and/or variations in this Tender Document that are in writing from NUML and duly agreed upon by NUML shall be considered official. No negotiations, decisions, or actions executed by the Vendor as a result of any discussions with any NUML employee shall be considered official.
- 5.27 If the work is not executed according to the satisfaction of the NUML, the Rector NUML reserves the right to reject it altogether or impose a penalty not exceeding 10% of the total amount of contract.
- 5.28 If the work is not to the satisfaction of the NUML, the Rector NUML has the right to cancel the order, get work done by some other firm at the risk and cost of the vendor, subject to the condition that if the NUML has to pay any amount in excess of the agreed amount, the difference will be recovered from the vendor.
- 5.29 Refurbished and end of life / sale equipment shall not be acceptable.
- 5.30 The items delivered shall be according to the items mentioned in the Bid and no bidder shall be allowed to change brand name or quality of items without official approval of the Rector NUML.

#### 6.0 HARDWARE AND SERVICE REQUIREMENTS

Following are the minimum hardware and service requirements which the Selected Bidder/vendor will be required to fulfil.

LCT BRANCH BY CO. Stigman



- 6.1 Delivery and Installation should be at Islamabad Campus at the risk and cost of successful bidder.
- 6.2 Vendor must install all equipment and components and must ensure that the proposed equipment is fully integrated/operational and function properly at all variables.
- 6.3 Vendor must provide adequate protection to install equipment against electrical surges.
- 6.4 Vendor must ensure that all systems are in first class working condition and free of short circuits, ground loops.
- 6.5 At time of installation, Vendor must provide owner's manuals, manufacturer's data sheets, and a complete equipment list.
- Vendor shall provide on-call support (5 days a week) including assistance with operation and maintenance of the system at respective location all free of cost for a minimum period of one year from the date of the first successful start/functioning/operation of the equipment and subsequent issuance of site acceptance.
- 6.7 A site survey may be required at no cost to NUML to determine specific project efficacy at location. Any components needed during installation resulting from failure to perform a site survey must be provided at Vendor's expense.
- 6.8 Formal training on the equipment to NUML must be arranged for smooth operational of TV Studio.

#### 7.0 WARRANTY

Following Warranty clauses are applicable to the equipment under this tender

- 7.1 The successful Bidders shall warrant the equipment with no end of life guarantee, its components to be free from any sort of defects in material and workmanship for a minimum period of 1 year from date of complete installation, testing and commissioning shall repair or replace on a timely basis any defective component, assembly or portion free of cost. Technical support should be available on call basis.
- 7.2 The Successful Bidder will warrant that the equipment supplied under the Work Order/Purchase Order are new, un-used, and incorporate all recent improvements in design and materials and which should be of good quality as per acceptable standards. Quoted equipment should meet all design, quality and other technical requirements listed in this document or explicitly mentioned somewhere else in other such projects.

#### 8.0 MEET OR EXCEED SPECIFICATIONS

For this project, the specifications provided in this Tender Document are the minimum requirements of NUML. Bidders must meet or exceed these specifications to meet the actual requirements of this Project and its successful practical implementation.

#### 9.0 CLARIFICATION AND AMENDMENT IN TENDER DOCUMENT

A bidder requiring any clarification of the Tender Document may so notify to contacts given bellow in writing or via email. NUML may respond in writing through email, letter or web notification to any request for clarification of the Tender Document, which are received at least seven (07) days prior to the date of Bid submission.

Mr. Babar Iqbal

**NUML TV Studio** 

Sector H – 9, Islamabad Ph: +92 0333-5065560 +92 51 9265100-109 Ext: 2233-34

Email tvnuml@numl.edu.pk

**HoD Media & Communication Studies** 

Sector H - 9, Islamabad

Ph: +92 51 9265100-109

Email: hod-mcs@numl.edu.pk



# 10.0 Annexure-A Technical Proposal shall be part of Technical Proposal (data should be provided in softcopy along with page reference number of supporting documents/ manuals and also see the technical evaluation criteria-Annex "D" Serial # 4)

S#	Lot	ltems	Ref Page # of Documentary Proof	Qty	Specification Quoted by Vendor	Comments
1.	a.	i. Studio Camera 4K Pro Micro Four Thirds Lens Mount Capture up to UHD 4K 3840 x 2160p60 7" High-Brightness HDR Touchscreen LCD Record to External USB Type-C Disks Records B lackmagic RAW, Up to 25,600 ISO 12G-SDI, HDMI & 10G Ethernet Video I/O XLR & 3.5mm Audio Input, Built-In Mics Built-In Da Vinci Resolve Color Corrector Large Tally Light, 5-Pin Headset Plug Light Carbon Fiber Polycarbonate Body		03		
		ii. Lumix G X Vario 45-150mm f/4-5.6 ASPH. MEGA O.I.S. Lens Micro Four Thirds System 90-350mm, Aperture Range: f/4 to f/22 One Ultra-High Refractive Index Element Two Aspherical Elements Multi-Coated Lens Elements Stepping AF Motor, MEGA Optical Image Stabilizer Rounded 7-Blade Diaphragm Or equivalent		03		
		iii. Focal Length 12 to 50mm f/3.5 to 6.3 Minimum Aperture f/22  Lens Mount Micro Four Thirds Lens Format Coverage  Micro Four Thirds		01	uk samaa	
		iv. Focus Demand with USB Cable For Studio 4K Pro Dual USB Connections Or equivalent		03		
		v. Zoom Demand with USB Cable for Studio 4K Pro Dual USB		03	e bressan	La April

Inches of TV



OlDago



	Connections Speed Selector Start/Stop Record Button Or equivalent	range from gerant doubt	
vi.	Matte Box with Rod. Or equivalent	02	1.0
vii.	19-inch Teleprompter with a 300 cd/m² monitor   Monitor with VGA/HDMI interface	01	20 H
/iii.	Libec LX5 Tripod with Two pan bar or Equivalent	03	
ix.	Libec Dolly Or equivalent	03	
x.	Camera Dust Cover	03	
xi.	Axmmitry virtual studio 3D software or Equivalent	01	
	Core i7 12th Gen Built in Motherboard 2.5 Gigabit 750w power Samsung 980 pro ssd M2 24 inch LED byboard & Mouse Case	02	
xiii.	Graphic Card Nvidia 8GB DDR6 S+ Or equivalent	01	
xiv.	Bluefish444 Epoch 4K Supernova Or equivalent	01	National Control of the Control of t
XV.	Olympus 12-50mm f/3.5-6.3 ED	01	
xvi.	M.Zuiko EZ Micro 4/3 Lens	01	
Stream recordir transitic Suppor settings Suppor Fusion System machine Support	Vmix Hardware control switcher panel lined structure that integrates guide switching, resource ng, webcasting,mixer, pan-tilt control, and special effects ons.  It can choose PGM/PVW 4 groups of 12 downstream key s. Support 12-channel PGM and PVW switch preview. It matching Tianying 4K  Media Virtual Studio It to realize the push-pull pan and rocker effect of virtual e position.  It 4-channel wired/wireless PTZ camera preset position, apan and iris zoom.	01	

A John Inday



10 | Page

-	SIL	0	E M	22
6	1		n	13
E		۸.	Ω.	
E	V	U	Щ	18
4	1	=	93	5

	· · · · · · · · · · · · · · · · · · ·		
	ort one key FTB key black output.		
	ort 8 Tally outputs.		And the second s
Provide	15PIN pan/tilt PTZ control interface.		
xviii.	Nvidia 8GB 192bit DDR6 Graphic Card Or equivalent	01	-4-
xix.	Bluefish444 Epoch 4K Supernova S+ Or equivalent	01	
xx.	Sennheiser hand wired microphone E-835 Or equivalent	01	W- No I
xxi.	LEDs (55-inch) Samsung/LG/Sony Original with wall mount bracket, HDMI cable (10 metres) and installation at the site with the power installation where required. Or equivalent	03	
xxii.	LEDs (32-inch) Samsung/LG/Sony Original with wall mount bracket, HDMI cable (10 metres) and installation at the site with the power installation where required. OR equivalent	04	
xx	iii. DP to HDMl Converter Or equivalent	02	
xxi	iv. 8-Port Gigabit Network Switch Or equivalent	01	
XX	v. Canare L 4.5 cable 200m or Equivalent		
XX	<ul> <li>Vi. 4K iMac core i5 21.5" with SSD 1TB Fusion Drive Or equivalent</li> </ul>	02	
1 E (	2-Channel Digital Mixer & Multitrack Recorder Built-In 4-Track SD Recorder, USB Audio Interface (iOS Compatible) 8 Mono Inputs + 2 Stereo Inputs Channels 1-2 Offer Hi-Z Inputs Phantom Power and -26 dB Pad Eight Channels of Compression Channel Strip with 3-Band EQ Low-Cut Filter and 16 Digital Effects 5 Headphone Outputs with Individual Mix Or equivalent	01	
XXV	riii. Camera-Mount Wireless Combo Microphone System ME 2-II Omnidirectional Lav Mic Rugged Bodypack	03	

By Library Theharge Rocked TV





Transmitter Plug-On Transmitter for Handheld Mic Diversity Camera-Mount Receiver, 1680 Auto-Scan Frequencies Advanced Controls for Flexible Use Daylight-Readable Display 8-Hour AA Batteries Up to 12 Mics on Set / 330' Range Or equivalent		
3x HDMI Cable - 5 Meters		
xxix. 3-Pin XLR Connector (M-F) Pair Or equivalent	30	
xxx. Twisted Pair Microphone Cable Braided Copper Shield Flexible in Extreme Cold Weather Reduced Handling Noise Reject EMI and RFI	03	
xxxi. Canare BNC Connector for L4.5 or equivalent	20	
xxxii. Canare Boots for L 4.5 Connector Or equivalent	50	
xxxiii. Dimmable Studio Lights 220W (Quad - 4x55W) with Tubes, C-Clamps, Spigots & Safety Chains Or equivalent	10	
xxxiv. 200w TV studio Cob light or Equivalent	05	
xxxv. 12 feet Light Extender Rod or equivalent	15	
xxxvi. 42U Broadcast Rack or equivalent	01	
xxxvii. Video Coaxial Cable (200 Meter)   100% Sweep Tested   Support SMPTE 259M, 292M & 424M   UL 1666 Riser Flame Test Conformant   Support 3G-SDI / HD-SDI Distribution	02 Rolls	
xxxviii. Dell 720 XD 48TB External Desktop Hard Drive 12 Core 32 GB Ram Includes WD Backup Software Acronis True Image WD Edition Software Windows & Mac Compatible Or equivalent	01	

The Rodio W



12 | Page

Sel	i UE	100
		NE
	nπ	
Olly	$\sim$	10,0

YAN + S			
	xxxix. Audio Monitor 8" Near-Field Studio Monitor Bi-amplified 2-way system System type2-way vented enclosure High Frequency Device1 " dome tweeter on elliptical waveguide Low Frequency Device 8 woofer with fiberglass reinforced cone Angular Coverage90? H x 60? V HF Amplifier Continuous Power45W Class AB LF Amplifier Continuous Power75W Class AB Processing Analog Frequency Response45 Hz - 20 kHz Max SPL109 dB Connectors1/4 JACK, XLR-F, RCA Controls LEVEL, HF ADJUST Construction Vinyl laminated MDF cabinet with ABS front Cabinet Colour Black Power Supply230 VAC or 120 VAC 50/60 Hz with LINE VOLTAGE selector Or equivalent	02	
	xxxx. IFB Cordless	02	
	xxxxi. Axmmitry first 3D Set Design,Website designing ,Website hosting,Streaming Server	01	
	xxxxii. Installation Material (ducts, breakers, joints, sockets, flexible pipes, PDU, power cables,HDMI cables,VGA cables,USB cables, including 3 studio panels each panel 4 SDI 5 XLR option, 1 panel in PCR 12SDI 15XLR etc)	1 Job	

Ser Jan

In Charge TV





# 11.0 Annexure-B Financial Proposal shall be part of Financial Proposal (Price of each items should be provided)

S #	Lot	Items	Qty	Unit Price Pak Rs. (Inclusive of Taxes)	Total Price Pak Rs. (Inclusive of Taxes)
	a.	i. Studio Camera 4K Pro Micro Four Thirds Lens Mount Capture up to UHD 4K 3840 x 2160p60 7" High-Brightness HDR Touchscreen LCD Record to External USB Type-C Disks Records Blackmagic RAW, Up to 25,600 ISO 12G-SDI, HDMI & 10G Ethernet Video I/O XLR & 3.5mm Audio Input, Built-In Mics Built-In DaVinci Resolve Color Corrector Large Tally Light, 5-Pin Headset Plug Light Carbon Fiber Polycarbonate Body	03		
		ii. Lumix G X Vario 45-150mm f/4-5.6 ASPH. MEGA O.I.S. Lens Micro Four Thirds System 90-350mm, Aperture Range: f/4 to f/22 One Ultra-High Refractive Index Element Two Aspherical Elements Multi-Coated Lens Elements Stepping AF Motor, MEGA Optical Image Stabilizer Rounded 7-Blade Diaphragm Or equivalent	03		
		iii. Focal Length 12 to 50mm f/3.5 to 6.3 Minimum Aperture f/22 Lens Mount Micro Four Thirds Lens Format Coverage Micro Four Thirds	01		
		iv. Focus Demand with USB Cable For Studio 4K Pro Dual USB Connections Or equivalent	03		
		v. Zoom Demand with USB Cable for Studio 4K Pro Dual USB Connections Speed Selector Start/Stop Record Button Or equivalent	03	1 hat	2

Botto Incharge TV



6	111	O.	90	2
	Ģ	<b>\</b> /	Ţ	1
3	J	VI	ι	ANG
Q	VN		\$39	3

vi.	Matte Box with Rod. Or equivalent	02		
vii.	19-inch Teleprompter with a 300 cd/m monitor   Monitor with VGA/HDMI interface	01		
iii.	Libec LX5 Tripod with Two pan bar or Equivalent	03		
ix.	Libec Dolly Or equivalent	03		
х.	Camera Dust Cover	03		
xi.	Axmmitry virtual studio 3D software or Equivalent	01		
xii.	Core i7 12 <sup>th</sup> Gen Built in Motherboard 2.5 Gigabit 750w power Samsung 980 pro ssd M2 24 inch LED Keyboard & Mouse Case	02		
xiii.	Graphic Card Nvidia 8GB DDR6 S+ Or equivalent	01		
xiv.	Bluefish444 Epoch 4K Supernova Or equivalent	01		
xv.	Olympus 12-50mm f/3.5-6.3 ED	01		
xvi.	M.Zuiko EZ Micro 4/3 Lens	01		
record transi Suppo Suppo Fusio Syste mach Suppo came Suppo Suppo	Vmix Hardware control switcher panel mlined structure that integrates guide switching, resource ding, webcasting, mixer, pan-tilt control, and special effects tions.  ort can choose PGM/PVW 4 groups of 12 downstream key gs. Support 12-channel PGM and PVW switch preview. ort matching Tianying 4K in Media Virtual Studio m to realize the push-pull pan and rocker effect of virtual ne position.  ort 4-channel wired/wireless PTZ camera preset position, are pan and iris zoom.  ort one key FTB key black output.	01		

Bo for all Incharge TV



SITY	OF ,	0
Æ,		B
('n	m	
Q.	_	0.0
Q <sub>I</sub>	إلا	1018

Provide	e 15PIN pan/tilt PTZ control interface.		
xviii.	viii. Nvidia 8GB 192bit DDR6 Graphic Card Or equivalent		
xix.	Bluefish444 Epoch 4K Supernova S+ Or equivalent	01	
xx.	Sennheiser hand wired microphone E-835 Or equivalent	01	
xxi.	LEDs (55-inch) Samsung/LG/Sony Original with wall mount bracket, HDMI cable (10 metres) and installation at the site with the power installation where required. Or equivalent	03	
xxii.	LEDs (32-inch) Samsung/LG/Sony Original with wall mount bracket, HDMI cable (10 metres) and installation at the site with the power installation where required. OR equivalent	04	
xxi	ii. DP to HDMI Converter Or equivalent	02	
xxi	v. 8-Port Gigabit Network Switch Or equivalent	01	(4)-21-1
xxv	. Canare L 4.5 cable 200m or Equivalent		
xxvi. 4K iMac core i5 21.5" with SSD 1TB Fusion Drive Or equivalent		02	
	12-Channel Digital Mixer & Multitrack Recorder Built-In 14-Track SD Recorder, USB Audio Interface (iOS Compatible) 8 Mono Inputs + 2 Stereo Inputs Channels 1-2 Offer Hi-Z Inputs Phantom Power and -26 dB Pad Eight Channels of Compression Channel Strip with 3-Band EQ Low-Cut Filter and 16 Digital Effects 5 Headphone Outputs with Individual Mix Or equivalent	01	
	iii. Camera-Mount Wireless Combo Microphone System ME 2-II Omnidirectional Lav Mic Rugged Bodypack Transmitter Plug-On Transmitter for Handheld Mic Diversity Camera-Mount Receiver, 1680 Auto-Scan Frequencies	03	

To fara

Incharge IV



SITY OF MOD
(44)
1011 - 5350

Advanced Controls for Flexible Use Daylight-Readable Display 8-Hour AA Batteries Up to 12 Mics on Set / 330' Range Or equivalent 3x HDMl Cable - 5 Meters		
xxix. 3-Pin XLR Connector (M-F) Pair Or equivalent	30	
xxx. Twisted Pair Microphone Cable Braided Copper Shield Flexible in Extreme Cold Weather Reduced Handling Noise Reject EMI and RFI	03	Į.
xxxi. Canare BNC Connector for L4.5 or equivalent	20	
xxxii. Canare Boots for L 4.5 Connector Or equivalent	50	
xxxiii. Dimmable Studio Lights 220W (Quad - 4x55W) with Tubes, C-Clamps, Spigots & Safety Chains Or equivalent	10	
xxxiv. 200w TV studio Cob light or Equivalent	05	
xxxv. 12 feet Light Extender Rod or equivalent	15	
xxxvi. 42U Broadcast Rack or equivalent	01	
xxxvii. Video Coaxial Cable (200 Meter)   100% Sweep Tested   Support SMPTE 259M, 292M & 424M   UL 1666 Riser Flame Test Conformant   Support 3G-SDI / HD-SDI Distribution	02 Rolls	
xxxviii. Dell 720 XD 48TB External Desktop Hard Drive 12 Core 32 GB Ram Includes WD Backup Software Acronis True Image WD Edition Software Windows & Mac Compatible Or equivalent	01	Septiment of
xxxix. Audio Monitor 8" Near-Field Studio Monitor Bi-amplified 2-way system System type2-way vented enclosure High Frequency Device1 " dome tweeter on elliptical waveguide Low Frequency Device 8 woofer with fiberglass reinforced cone	02	

Go Jud

Indiarge Radio TV



180	Y OF MOD
M	44
E	UN 🌷
W.	5300

_					
	Angular Coverage90? H x 60? V				
	HF Amplifier Continuous Power45W Class AB				
	LF Amplifier Continuous Power75W Class AB Processing				
	Analog				
	Frequency Response45 Hz - 20 kHz Max SPL109 dB				
	Connectors1/4 JACK, XLR-F, RCA				
	Controls LEVEL, HF ADJUST		*		
	Construction Vinyl laminated MDF cabinet with ABS front				
	Cabinet Colour Black				
	Power Supply230 VAC or 120 VAC 50/60 Hz with LINE				
	VOLTAGE selector Or equivalent				
	xxxx. IFB Cordless	02			
	xxxxi. Axmmitry first 3D Set				
	Design, Website designing, Website	01		77 2	
	hosting,Streaming Server				
	xxxxii. Installation Material (ducts,				$\neg$
286	breakers, joints, sockets, flexible pipes,				
	PDU, power cables, HDMI cables, VGA	1 lab		Hart Tra	
	cables, USB cables, including 3 studio	1 Job			
	panels each panel 4 SDI 5 XLR option, 1				
	panel in PCR 12SDI 15XLR etc)				

John Trong in

Grand Total (For complete project): Rs.

Grand Total (For complete project): In words.



18 | Page



## 12.0 Annexure - C: Firm's References

(To be attach with Technical Proposal)

Relevant Services Carried Out in the Last Two Years (Minimum)
That Best Illustrate Qualifications

List of Project with copy of completion certificate.





#### 13.0 Annexure - D: Technical Evaluation Criteria

Weight of the Technical Scoring is 100% and Breakup is given below.

hnic	al Evaluation		Maximum 80	Maximum 80 Marks			
S. #	Technical Evaluation	To	otal Marks	Marks Obtained			
1.	Firms past 02 years experienced in the relevant field  (Min 2 years of relevant field experience is mandatory).	20	Must attach Documentary proof  05 Years and above = 20 Marks 04 Years = 15 Marks 03 Years = 10 Marks 02 Years = 05 Marks Less than 2 years = 0 Marks (Zero marks means technically disqualified)				
2.	State of available Technical Human Resource	10	Two or more Broadcast Engineer = 4 Marks One Broadcast Engineer = 2 Marks Two or more Broadcast Technician = 4 Marks One Broadcast Engineer = 2 Marks Power Distribution Technician = 2 Marks				
3.	Vendor's presence for Technical Support Services	20	Must attach Documentary proof  Head office in Islamabad/ Rawalpindi = 20  Branch Office in Islamabad/ Rawalpindi with technical team plus Head office in Pakistan = 10				
4.	Filled Technical Sheet Attached (Annex-A) with reference Page Number		Fulfill the requirement				
5.	Project completed in last one year amounting Rs; 2.5 Million	20	Projects: 5 and above = 20 Marks 4 = 16 Marks 3 = 12 Marks 2 = 08 Marks 1 = 04 Marks				
	Total	80					

<sup>\*</sup> However, supporting documents should be provided along with Technical proposal
The firm shell be considered disqualified and financial bid will not be opened if in case of non-compliance of technical
specification of the RFP, evaluated by Technical Committee based on the information provided by the firm in the
attached Annex 'A'

Port bal

Incharge N





# 14.0 Annexure - E: Specimen for Affidavit

(To be attach with Technical Proposal)

From:						
		*				
То,						
NATIONAL UNIVERSITY OF	MODERN LANG	UAGES H-9, Islam	abad			
Subject: Affidavit						
1. We, M/s	I	naving our office	at		_	
hereby undertake that as a LANGUAGES for the Supply NUML and its operational resort to any court of law. T tender document issued No	<ul> <li>Installation, Tes</li> <li>if any conflict / d</li> <li>ihe dispute / differ</li> <li>by NATIONA</li> </ul>	ting and Commiss ispute arises rega rence, if any, shall L UNIVERSITY	ioning of Est rding the exe be settled a OF MOD	ablishment ecution of vectors per relevant	t of TV solvork, we ant claus	Studio at shall not es of the
2. We, M/s Government/Semi Governme	ent Organization in	Pakistan.	is	not black	listed	by any
Authorized Signature						
M/S						
Dated						





#### 15.0 Annexure - F: Proposal Submission Form

#### PROPOSAL SUBMISSION FORM

#### (To be attach with Technical Proposal)

The Director IT
National University of Modern Languages,
H-9, Islamabad

Sir

We, the undersigned, offer to provide the services For "Supply, Installation, Testing and Commissioning of **Establishment of TV Studio at NUML and its operational**" in accordance with your Tender Document Dated \_\_\_\_\_\_, and our Proposal. We are hereby submitting our Proposal, which includes this Technical proposal, and a financial proposal sealed under separate envelopes.

We understand you are not bound to accept any Proposal you receive and reserves the right to accept or reject any offer and to annul the bidding process and reject all proposals without assigning any reason or having to owe any explanation whatsoever.

The decision of evaluating committee shall be final and cannot be challenged on any ground at any forum and the evaluating committee will not be liable for any loss or damage to any party acting in reliance thereon.

We remain,

Yours' sincerely

Authorized Signature:

Name and Title of Signatory: Name of Firm: Address:

